

Featuring GIO Workshop, Medium Grey 24x48 Honed Rectified Field Tile

GIO
ARCHITECTURAL TILE + STONE

workshop (2.0)

An on-trend palette of cosmopolitan colors in three adaptable, workhorse finishes

COLOR BODY RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

ANTIQUE WHITE



GIWK2448AW
24″ x 48″ Honed Rectified Field Tile

GIWK2448AWL
24″ x 48″ Linear Rectified Field Tile

GIWK2448AWF
24″ x 48″ Flamed Rectified Field Tile



GIWK312BNAW
3″ x 12″ Honed Bullnose

GIWK612CBAW
6″ x 12″ Honed Cove Base



GIWK1224AW
12″ x 24″ Honed Rectified Field Tile

GIWK1224AWL
12″ x 24″ Linear Rectified Field Tile

GIWK1224AWF
12″ x 24″ Flamed Rectified Field Tile

GIWK2424AW
24″ x 24″ Honed Rectified Field Tile

GIWK1212AW
12″ x 12″ Honed Rectified Field Tile

GIWKMOSAW
2″ x 2″ Honed Mosaic

GRAPHITE GREY



GIWK2448GG
24″ x 48″ Honed Rectified Field Tile



GIWK2448GGL
24″ x 48″ Linear Rectified Field Tile



GIWK2448GGF
24″ x 48″ Flamed Rectified Field Tile



GIWK312BNGG
3″ x 12″ Honed Bullnose



GIWK612CBGG
6″ x 12″ Honed Cove Base




GIWK1224GG
12″ x 24″ Honed Rectified Field Tile



GIWK1224GGL
12″ x 24″ Linear Rectified Field Tile



GIWK1224GGF
12″ x 24″ Flamed Rectified Field Tile



GIWK2424GG
24″ x 24″ Honed Rectified Field Tile



GIWK1212GG
12″ x 12″ Honed Rectified Field Tile



GIWKMOSGG
2″ x 2″ Honed Mosaic

LIGHT TAN



GIWK2448LT
24″ x 48″ Honed Rectified Field Tile



GIWK2448LTL
24″ x 48″ Linear Rectified Field Tile



GIWK2448LTF
24″ x 48″ Flamed Rectified Field Tile



GIWK312BNLT
3″ x 12″ Honed Bullnose

GIWK612CBLT
6″ x 12″ Honed Cove Base



GIWK1224LT
12″ x 24″ Honed Rectified Field Tile



GIWK1224LTL
12″ x 24″ Linear Rectified Field Tile



GIWK1224LTF
12″ x 24″ Flamed Rectified Field Tile



GIWK2424LT
24″ x 24″ Honed Rectified Field Tile



GIWK1212LT
12″ x 12″ Honed Rectified Field Tile

GIWKMOSLT
2″ x 2″ Honed Mosaic

MEDIUM GREY



GIWK2448MG
24″ x 48″ Honed Rectified Field Tile



GIWK2448MGL
24″ x 48″ Linear Rectified Field Tile



GIWK2448MGF
24″ x 48″ Flamed Rectified Field Tile



GIWK312BNMG
3″ x 12″ Honed Bullnose



GIWK612CBMG
6″ x 12″ Honed Cove Base



GIWK1224MG
12″ x 24″ Honed Rectified Field Tile



GIWK1224MGL
12″ x 24″ Linear Rectified Field Tile

GIWK1224MGF
12″ x 24″ Flamed Rectified Field Tile

GIWK2424MG
24″ x 24″ Honed Rectified Field Tile

GIWK1212MG
12″ x 12″ Honed Rectified Field Tile

GIWKMOSMG
2″ x 2″ Honed Mosaic

ONYX BLACK

GIWK2448OB
24″ x 48″ Honed Rectified Field Tile

GIWK2448OBL
24″ x 48″ Linear Rectified Field Tile

GIWK2448OBF
24″ x 48″ Flamed Rectified Field Tile

GIWK312BNOB
3″ x 12″ Honed Bullnose

GIWK612CBOB
6″ x 12″ Honed Cove Base

GIWK1224OB
12″ x 24″ Honed Rectified Field Tile

GIWK1224OBL
12″ x 24″ Linear Rectified Field Tile

GIWK1224OBF
12″ x 24″ Flamed Rectified Field Tile

GIWK2424OB
24″ x 24″ Honed Rectified Field Tile

GIWK1212OB
12″ x 12″ Honed Rectified Field Tile

GIWKMOSOB
2″ x 2″ Honed Mosaic



Featuring GIO Workshop, Sage 12 x 24 Linear Rectified Field Tile

workshop


GIO
ARCHITECTURAL TILE + STONE

workshop (2.0)

An on-trend palette of cosmopolitan colors in three adaptable, workhorse finishes

COLOR BODY RECTIFIED FLOOR & WALL GLAZED PORCELAIN STONEWARE

SAGE



GIWK2448SG
24″ x 48″ Honed Rectified Field Tile



GIWK2448SGL
24″ x 48″ Linear Rectified Field Tile



GIWK2448SGF
24″ x 48″ Flamed Rectified Field Tile



GIWK312BNSG
3″ x 12″ Honed Bullnose



GIWK612CBSG
6″ x 12″ Honed Cove Base



GIWK1224SG
12″ x 24″ Honed Rectified Field Tile



GIWK1224SGL
12″ x 24″ Linear Rectified Field Tile



GIWK1224SGF
12″ x 24″ Flamed Rectified Field Tile



GIWK2424SG
24″ x 24″ Honed Rectified Field Tile



GIWK1212SG
12″ x 12″ Honed Rectified Field Tile



GIWKMOSSG
2″ x 2″ Honed Mosaic

SANDSTONE



GIWK2448SS
24″ x 48″ Honed Rectified Field Tile



GIWK2448SSL
24″ x 48″ Linear Rectified Field Tile



GIWK2448SSF
24″ x 48″ Flamed Rectified Field Tile



GIWK312BNSS
3″ x 12″ Honed Bullnose



GIWK612CBSS
6″ x 12″ Honed Cove Base



GIWK1224SS
12″ x 24″ Honed Rectified Field Tile



GIWK1224SSL
12″ x 24″ Linear Rectified Field Tile



GIWK1224SSF
12″ x 24″ Flamed Rectified Field Tile



GIWK2424SS
24″ x 24″ Honed Rectified Field Tile



GIWK1212SS
12″ x 12″ Honed Rectified Field Tile



GIWKMOSSS
2″ x 2″ Honed Mosaic

STEEL BLUE



GIWK2448SB
24″ x 48″ Honed Rectified Field Tile



GIWK2448SBL
24″ x 48″ Linear Rectified Field Tile



GIWK2448SBF
24″ x 48″ Flamed Rectified Field Tile



GIWK312BNSB
3″ x 12″ Honed Bullnose



GIWK612CBSB
6″ x 12″ Honed Cove Base



GIWK1224SB
12″ x 24″ Honed Rectified Field Tile



GIWK1224SBL
12″ x 24″ Linear Rectified Field Tile



GIWK1224SBF
12″ x 24″ Flamed Rectified Field Tile



GIWK2424SB
24″ x 24″ Honed Rectified Field Tile



GIWK1212SB
12″ x 12″ Honed Rectified Field Tile



GIWKMOSSB
2″ x 2″ Honed Mosaic

PACKAGING


NOMINAL SIZE	PIECES PER BOX	SQ. FT. PER BOX	LBS. PER BOX	BOXES PER PALLET	SQ. FT. PER PALLET	WEIGHT PER PALLET
24x48 Honed Rectified	2	16	77	32	512	2458
24x48 Linear Rectified	2	16	77	32	512	2458
24x48 Flamed Rectified	2	16	77	32	512	2458
12x24 Honed Rectified	6	12	53	48	576	2535
12x24 Linear Rectified	6	12	53	48	576	2535
12x24 Flamed Rectified	6	12	53	48	576	2535
24x24 Honed Rectified	3	12	53	36	432	1902
12x12 Honed Rectified	13	13	58	48	624	2746
3x12 Honed Bullnose	12	-	13	-	-	-
6x12 Honed Cove base	10	-	18	-	-	-
2x2 Honed Mosaic	10	10	40	-	-	-

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
Chemical Resistance	RESISTANT	C650 Test
Water Absorption	0.5%	ISO 10545-3
PEI	4	C1027 Test
C.O.F. (Dynamic)	0.52 (Honed)	ANSI 137.1
C.O.F. (Dynamic)	0.52 (Linear)	ANSI 137.1
C.O.F. (Dynamic)	0.65 (Flamed)	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	10 mm	Factory Provided

SHADE VARIATION AND APPLICATIONS

V1



UNIFORM VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•