Featuring GIO Pavers, 24x48 Vein Cut Travertine Silver Field Tile

pavers

GIO
ARCHITECTURAL TILE + STONE

pavers

What's "in" for outside design—20mm porcelain pavers for direct installation over grass, sand, gravel, and standard substrates

20mm PORCELAIN STONEWARE PAVER SUITABLE FOR DIRECT LAYING OVER GRASS, SAND, GRAVEL, STANDARD MORTAR INSTALLATIONS, AND RAISED PEDESTAL APPLICATIONS.

CONCRETE

TEXTURE GREY



GIPAV2424GRC
24" x 24" Pressed Field Tile/Porcelain Paver



GIPAV2448GRC
24" x 48" Rectified Field Tile/Porcelain Paver

TEXTURE TAUPE



GIPAV2424TPC
24" x 24" Pressed Field Tile/Porcelain Paver



GIPAV2448TPC
24" x 48" Rectified Field Tile/Porcelain Paver

TEXTURE BEIGE



GIPAV2424BEC
24" x 24" Pressed Field Tile/Porcelain Paver



GIPAV2448BEC
24" x 48" Rectified Field Tile/Porcelain Paver

SIMPLE BEIGE i/o



GIPAV2424SBE
24" x 24" Field Tile/Porcelain Paver

SIMPLE GRAPHITE i/o



GIPAV2424SGR
24" x 24" Field Tile/Porcelain Paver

SIMPLE GREY i/o



GIPAV2424SGY
24" x 24" Field Tile/Porcelain Paver

SIMPLE WHITE i/o

GIPAV2424SWT
24" x 24" Field Tile/Porcelain Paver

VEIN CUT TRAVERTINE

SILVER



GIPAV2424SIVC
24" x 24" Rectified Field Tile/Porcelain Paver



GIPAV2448SIVC
24" x 48" Rectified Field Tile/Porcelain Paver

BEIGE



GIPAV2424BEVC
24" x 24" Rectified Field Tile/Porcelain Paver



GIPAV2448BEVC
24" x 48" Rectified Field Tile/Porcelain Paver

QUARTZITE

WHITE



GIPAV2424QWT
24" x 24" Rectified Field Tile/Porcelain Paver

SAND




GIPAV2424QSA
24" x 24" Rectified Field Tile/Porcelain Paver

GREY



GIPAV2424QGR
24" x 24" Rectified Field Tile/Porcelain Paver





Featuring GIO Pavers, Crosscut Crema 24x24 Rectified Field Tile

pavers

GIO
ARCHITECTURAL TILE + STONE

pavers

What's "in" for outside design—20mm porcelain pavers for direct installation over grass, sand, gravel, and standard substrates

20mm PORCELAIN STONEWARE PAVER SUITABLE FOR DIRECT LAYING OVER GRASS, SAND, GRAVEL, STANDARD MORTAR INSTALLATIONS, AND RAISED PEDESTAL APPLICATIONS.

CROSSCUT TRAVERTINE

CREMA



GIPAV2424CRCCT
24" x 24" Rectified Field Tile/Porcelain Paver




GIPAV2448CRCCT
24" x 48" Rectified Field Tile/Porcelain Paver

AVORIO



GIPAV2424AVCCT
24" x 24" Rectified Field Tile/Porcelain Paver



GIPAV2448AVCCT
24" x 48" Rectified Field Tile/Porcelain Paver

WALNUT



GIPAV2424WLCCT
24" x 24" Rectified Field Tile/Porcelain Paver



GIPAV2448WLCCT
24" x 48" Rectified Field Tile/Porcelain Paver

SILVER



GIPAV2424SICCT
24" x 24" Rectified Field Tile/Porcelain Paver



GIPAV2448SICCT
24" x 48" Rectified Field Tile/Porcelain Paver

STONE

PENNSYLVANIA BLUE FULL COLOR CLEFT



GIPAV2424PFCST
24" x 24" Rectified Field Tile/Porcelain Paver



GIPAV2448PFCST
24" x 48" Rectified Field Tile/Porcelain Paver



GIPAV1248PFCST
12" x 48" Rectified Field Tile/Porcelain Paver

PENNSYLVANIA BLUE THERMAL / FLAMED



GIPAV2424PTFST
24" x 24" Rectified Field Tile/Porcelain Paver



GIPAV2448PTFST
24" x 48" Rectified Field Tile/Porcelain Paver



GIPAV1248PTFST
12" x 48" Rectified Field Tile/Porcelain Paver

ARDESIA BEIGE i/o



GIGTCK2424ABG
24" x 24" Pressed Field Tile/Porcelain Paver

ARDESIA GREY i/o



GIGTCK2424AGY
24" x 24" Pressed Field Tile/Porcelain Paver

ARDESIA BIANCO i/o




GIGTCK2424ABI
24" x 24" Pressed Field Tile/Porcelain Paver

ARDESIA DARK GREY i/o



GIGTCK2424ADG
24" x 24" Pressed Field Tile/Porcelain Paver





Featuring GIO Pavers, Beige Oak 24 x 48 Rectified Field Tile/Porcelain Paver

pavers

GIO
ARCHITECTURAL TILE + STONE

pavers

What's "in" for outside design—20mm porcelain pavers for direct installation over grass, sand, gravel, and standard substrates

20mm PORCELAIN STONEWARE PAVER SUITABLE FOR DIRECT LAYING OVER GRASS, SAND, GRAVEL, STANDARD MORTAR INSTALLATIONS, AND RAISED PEDESTAL APPLICATIONS.

WOOD

UMBER BIANCO i/o



GIUMB1248BI
12" x 48" Rectified Field Tile/Porcelain Paver

UMBER GREY i/o



GIUMB1248GR
12" x 48" Rectified Field Tile/Porcelain Paver

UMBER AMBER i/o



GIUMB1248AM
12" x 48" Rectified Field Tile/Porcelain Paver

DERIVA ASH



GIPAV2448DAS
24" x 48" Rectified Field Tile/Porcelain Paver



GIPAV1248DAS
12" x 48" Rectified Field Tile/Porcelain Paver

BEIGE OAK



GIPAV2448BOK
24" x 48" Rectified Field Tile/Porcelain Paver



GIPAV1248BOK
12" x 48" Rectified Field Tile/Porcelain Paver

MEDIUM PINE



GIPAV2448MEP
24" x 48" Rectified Field Tile/Porcelain Paver



GIPAV1248MEP
12" x 48" Rectified Field Tile/Porcelain Paver

LIMESTONE

MIRABELLA IVORY i/o



GIMBL2424IV
24" x 24" Pressed Field Tile/Porcelain Paver



GIMBL2448IV
24" x 48" Pressed Field Tile/Porcelain Paver

MIRABELLA WHITE i/o

GIMBL2424WH
24" x 24" Pressed Field Tile/Porcelain Paver



GIMBL2448WH
24" x 48" Pressed Field Tile/Porcelain Paver

JURA LIGHT BEIGE i/o



GIPAV2424JRLB
24" x 24" Rectified Field Tile/Porcelain Paver



GIPAV2448JRLB
24" x 48" Rectified Field Tile/Porcelain Paver

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	5	C1027 Test
Water Absorption	0.05%	C373 Test
C.O.F. (Dynamic)	0.42+	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Thickness	20 mm	NA

i/o - INSIDE AND OUTSIDE

