

Featuring Gio_Thin 5.5, Lagos Grey Matte 39x118

gio_thin 5.5


gio_thin 5.5

Revolutionary design, research, and technology have combined to create a timeless large (thin) format of lifelike marble, concrete, metal or contemporary finishes


INKJET COLORED BODY LARGE PANEL PORCELAIN STONEWARE
FOR FLOORS, WALLS, COUNTERTOPS AND MANY MORE APPLICATIONS

stone solutions


LAGOS GREY MATTE & POLISHED



GIGT39118LGM - Matte
GIGT39118LGP - Polished
39" x 118" Rectified Field Tile



GIGT3939LGM - Matte
GIGT3939LGP - Polished
39" x 39" Rectified Field Tile



GIGT1959LGM - Matte
GIGT1959LGP - Polished
19.5" x 59" Rectified Field Tile

STATUARY MARBLE MATTE & POLISHED




GIGT39118SMM - Matte
GIGT39118SMP - Polished
39" x 118" Rectified Field Tile

CALACATTA MATTE & POLISHED



GIGT39118CAM - Matte
GIGT39118CAP - Polished
39" x 118" Rectified Field Tile




GIGT3939CAM - Matte
GIGT3939CAP - Polished
39" x 39" Rectified Field Tile



GIGT1959CAM - Matte
GIGT1959CAP - Polished
19.5" x 59" Rectified Field Tile

CALACATTA BOOKMATCH MATTE & POLISHED





GIGT39118CBOM - Matte
GIGT39118CBOP - Polished
39" x 118" Rectified Field Tile

solids

PURE WHITE MATTE & POLISHED



GIGT39118PWM - Matte
GIGT39118PWP - Polished
39" x 118" Rectified Field Tile


PURE BLACK MATTE



GIGT39118PBM - Matte
39" x 118" Rectified Field Tile

SHADE VARIATION AND APPLICATIONS (STONE SOLUTIONS)

V3




HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•

SHADE VARIATION AND APPLICATIONS (SOLIDS)

V1



UNIFORM APPEARANCE

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•

TECHNICAL SPECIFICATIONS

Description	Result	Test Method (Standard)
PEI Rating	4	C1027 Test
Water Absorption	0.05%	C373 Test
C.O.F. (Dynamic)	0.42 (Matte only)*	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Breaking Strength	≥ 269 lbs.	ASTMC648
Thickness	5.5 mm	NA

*Polished does not meet DCOF (wall recommended only)



Featuring Gio_Thin 5.5, Cliffstone Silver 39 x118

gio_thin 5.5

gio_thin 5.5

Revolutionary design, research, and technology have combined to create a timeless large (thin) format of lifelike marble, concrete, metal or contemporary finishes

INKJET LARGE PANEL PORCELAIN STONEWARE FOR FLOORS, WALLS, COUNTERTOPS AND MANY MORE APPLICATIONS

metallics (matte finish only)

IRON



GIGT39118IRN
39" x 118" Rectified Field Tile

CORTEN



GIGT39118COR
39" x 118" Rectified Field Tile

concrete (matte finish only)

CLIFFSTONE DARK



GIGT39118CDK
39" x 118" Rectified Field Tile

CLIFFSTONE SILVER




GIGT39118CSL
39" x 118" Rectified Field Tile

CLIFFSTONE IVORY



GIGT39118CIV
39" x 118" Rectified Field Tile

CLIFFSTONE DARK GREY



GIGT39118CDG
39" x 118" Rectified Field Tile

SHADE VARIATION AND APPLICATIONS (METALLICS, CONTEMPORARY, & CONCRETE)

V3



HEAVY VARIATION

	RESIDENTIAL	COMMERCIAL	INDUSTRIAL
Floor	•	•	•
Wall	•	•	•
Countertop	•	•	•

TECHNICAL SPECIFICATIONS

DESCRIPTION	RESULT	TEST METHOD (STANDARD)
PEI Rating	4	C1027 Test
Water Absorption	0.05%	C373 Test
C.O.F. (Dynamic)	0.42	ANSI 137.1
Frost Resistance	RESISTANT	ASTM C1026
Breaking Strength	≥ 269 lbs.	ASTMC648
Thickness	5.5mm	NA